

Developed by:

SanTan Development Group 3850 E. Baseline Road

Suite 114

Mesa, Arizona 85206

Phone: 480.424.3400

Fax: 480.424.3432

AMENDMENT TO

MASTER SIGN PACKAGE

PHASES 3,4,5,G1 and G2

AUGUST 2013
REVISED FEBRUARY 28, 2014
REVISED MARCH 13, 2014
REVISED JANUARY 22, 2020
REVISED OCTOBER 19, 2020

APPROVED


OVER THE COUNTER
DR05-139K


Case # __

10/20/20









9/17/2020 1:54:21 PM

APPROVED OVER THE COUNTER

Case #

DR05-139K

10/20/20 Date

SIGN	SIGN TYPE	FUNCTION	LOCATION	QUANTITY	HEIGHT	SIZE	ILLUMINATION	MATERIALS
SIGN TYPE S-1 Freeway Sign	Freeway	Center ID with tenant identification	Placed along Santan Freeway (Loop 202) on Parcel E	1	Sixty (60') Feet to top of Pylon	500 SF Maximum Exclusive of Center Indentification and Architectural Embellishments	Interior Illumination	Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-2 Multi-Tenant Tower Monument Sign	Tower	Center ID with tenant identification	Placed along Santan Village Parkway, Ray Road, Coronado Road, and Williams Field Road	14	Fifteen (15') feet to top of sign panel exclusive of architectural embellishments	100 SF Maximum Exclusive of Architectural Embellishments	Combination of Interior and Exterior Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-2.1 Monument Sign	Monument	Multi-tenant identification	Placed along Coronado Road and along Interior and Private Roadways	2	Seven (7') feet to top of sign panel exclusive of architectural embellishment	24 SF Maximum Exclusive of Architectural Embellishments	Combination of Interior and Exterior Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-3 Monument Sign	Monument	Single tenant identification	Santan Village Parkway and Market Street	2	Eight (8'-4") feet to top of sign panel exclusive of architectural embellishment	35 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-4A Primary Gateway Sign	Monument	Center ID at Gateways	Along Santan Village Parkway at Street Intersections and Major Entrances to Parcels	2	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-4B Secondary Gateway Sign	Monument	Center ID at Gateways	Along Santan Village Parkway at Street Intersections and Major Entrances to Parcels	7	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-5 Main Entry Wall Sign	Monument	Entry wall/business ID at Corners (See General Notes 4 below)	Along Santan Village Parkway and at Interior and Private Roadways	11	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-6 Multi-Family Entry Monument	Monument	Main ID	Boston Street at Multi-family entrance	1	Six (6') feet to top of sign panel exclusive of architectural embellishment	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminium, Powder Coat
Directional Sign	Monument	Vehicular and pedestrian directional information	At Driveways and Landscape Islands Internal to the Site	TBD	Four (4') feet to top of Monument	12 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
Directory / Pedestrian Advertising Sign	Kiosk	Site Directory with optional advertising company	Interior site locations in Landscape Islands or Pedestrian areas	TBD	Six (6') feet to top of sign panel exclusive of architectural embellishment Six (6') feet to top of sign	24 SF Maximum Sign Copy per Sign Face Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-7 Directory	Kiosk	Site Directory	Interior site locations in Landscape Islands or Pedestrian areas	1	Seven feet six inchses (7'-6") to top of sign	30 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Aluminum, Acrylic, Paint, Vinyl

GENERAL NOTES:

1)Tenant Monument Signs, Directional Signs, and Directory / Pedestrian Advertising signs may be placed in any location subject to first receiving the approval of the Master Developer and the Town of Gilbert. All such signs should be architecturally consistent with the design themes set forth in this Master Sign Program.

2) Any freestanding sign type not specifically designated herein shall not be allowed unless this Master Sign Plan is amended, whether administratively or otherwise, and written approval is obtained from the Master Developer.

3) Freestanding sign quantities and locations are approximated. Final site plan design will dictate the quantity and location of each sign type.

4)Signage on Main Entry wall signs shall be limited to project or plat identification and shall not include national corporate or trademark logos, or shall be otherwise as approved by the Master


APPROVED


OVER THE COUNTER

Case #

Date


DR05-139K 10/20/20






D/F INTERNALLY ILLUMINATED SIGN CABINET WITH ROUTED ALUMINUM TENANT PANELS BACKED-UP WITH COLORED ACRYLIC TO ULTILLIZE TENANTS CORPORATE COLORS/LOGOS/TYPEFACES LANDLORD APPROVAL REQUIRED


PAINT TO MATCH ICI 634 "LA MESA" DRYVIT® SANDPEBBLE FINE™ TEXTURE



ALUMINUM POLE COVER PAINT TO MATCH ICI 527 "CAMEL TAN" DRYVIT® SANDPEBBLE FINE™ TEXTURE



EPS FOAM CORNICE PAINT TO MATCH ICI 370 "WOODRUFF" DRYVIT® SANDPEBBLE FINE™ TEXTURE PROFILE AT RIGHT ->





CENTER ID CABINET / ALUMINUM POLE COVER POWDER COAT ROHM and HAAS "WEATHERED BROWN"



INTERNALLY ILLUMINATED FACE-LIT CHANNEL LETTERS/LOGO

WHITE ACRYLIC FACES 5" RETURNS PAINTED WHITE

APPROVED OVER THE COUNTER

DR05-139K Case # 10/20/20

Date

APPROVED


Administrative Design Review DR19-131 (DR05-139 K)

Date

2/4/20

APPROVED

Minor Administrative Design Review Case # DR05-139E (PAL14-07) March 18, 2014





D/F INTERNALLY ILLUMINATED SIGN CABINET


TENANT PANELS WITH ROUTED COPY TENANT COPY WILL BE 3/8" CLEAR ACRYLIC PUSH-THRU WITH FIRST SURFACE APPLIED VINYL PER TENANTS CORPORATE COLORS/LOGOS/TYPEFACES.

LANDLORD APPROVAL REQUIRED.

PAINT TO MATCH ICI 634 "LA MESA" DRYVIT® SANDPEBBLE FINE™ TEXTURE



CONCRETE DESIGNS INC. PRECAST CONCRETE CORNICE M51 PAINT TO MATCH ICI 370 "WOODRUFF" PROFILE AT RIGHT ->





CENTER ID CABINET / ALUMINUM ACCENT POWDER COATED ROHM and HAAS "WEATHERED BROWN"

INTERNALLY ILLUMINATED ROUTED CENTER ID/LOGO PUSH-THRU LETTERS/LOGO WITH ALUMINUM LETTER FACES POWDER COATED WHITE



CULTURED STONE "CHARDONNAY EUROPEAN CASTLE STONE" VENEER OVER CMU BASE

APPROVED

OVER THE COUNTER

DR05-139K Case # 10/20/20 Date

APPROVED


Administrative Design Review Case # DR19-131 (DR05-139 K)


2/4/20 Date

APPROVED

Minor Administrative Design Review Case #_DR05-139E (PAL14-07)

March 18, 2014 Date








D/F INTERNALLY ILLUMINATED SIGN CABINET

TENANT PANELS WITH ROUTED COPY
TENANT COPY WILL BE 3/8" CLEAR ACRYLIC PUSH-THRU
WITH FIRST SURFACE APPLIED VINYL PER TENANTS
CORPORATE COLORS/LOGOS/TYPEFACES.

LANDLORD APPROVAL REQUIRED.

PAINT TO MATCH ICI 634 "LA MESA" DRYVIT® SANDPEBBLE FINE™ TEXTURE




CONCRETE DESIGNS INC.

PRECAST CONCRETE CORNICE M40-6

PAINT TO MATCH ICI 634 "LA MESA"

PROFILE AT RIGHT —>



CONCRETE CORNICE PROFILE M 40-6



POWDER COATED ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "PRO-FIT ALPINE LEDGESTONE - AUTUMN" VENEER OVER CMU BASE

APPROVED

Administrative Design Review
Case # _ DR19-131 (DR05-139 K)

Date .

2/4/20

PAINT TO MATCH ICI 370 "WOODRUFF"



APPROVED
'ER THE COUNTER

e # _____DR05-139K

APPROVED


Minor Administrative Design Review
Case #_DR05-139E (PAL14-07)

Date March 18, 2014

TO STREET 2'-6"-8'-6" 10'-0" 5'-4" 5'-0" **TENANT** 3'-6" 4'-8" SINGLE TENANT MONUMENT SIGN SCALE: 1/4" = 1'-0"

COLOR SPECIFICATIONS:

- 1 POWDER COAT "WEATHERED BROWN"
- 2 ICI 634 "LA MESA"



- TENANT PANEL SPECIFICATIONS
 - 3A Tenant Copy will be 3/8" push-thru clear acrylic with first surface applied vinyl.
 - Tenant sign to be a pushed thru embossed face w/second surface decoration
 - Tenant price change sign is to be a formed face w/zip track to accommodate (3) three products. All face decoration to be second surface. Color "Dark Grey".

APPROVED

Administrative Design Review

Date

CONCEPTUAL







"WEATHERED BROWN"



CULTURED STONE "CHARDONNAY EUROPEAN CASTLE STONE"



CONCRETE CORNUE FROFILE



SANTAN VILLAGE

PARCEL G-1

APPROVED

Minor Administrative Design Review Case # DR05-139E (PAL14-07) March 18, 2014

REVISED MARCH 2014




STUCCO ON CMU PAINT TO MATCH ICI 527 "CAMEL TAN"



SMOOTH EFIS WITH REVEALS PAINT TO MATCH ICI 527 "CAMEL TAN"



CONCRETE CORNICE TO MATCH ICI 370 "WOODRUFF"





REVERSE PAN CHANNEL HALO ILLUMINATED LETTERS POWDER COAT ROHM and HAAS "WEATHERED BROWN"



METAL TOWER CAP - WITH UP-LIGHT BENEATH POWDER COAT ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "CHARDONNAY **EUROPEAN CASTLE STONE"** VENEER OVER CMU BASE RO-FIT ALPINE LEDGESTONE - AUTUMN"



GROUND MOUNTED UP-LIGHT



FLOWER PLANTING

* Contact Ellermann Schick and Bruno Architects for contruction document.

APPROVED

Administrative Design Review DR19-131 (DR05-139 K)


2/4/20 Date

APPROVED

Minor Administrative Design Review Case # DR05-139E (PAL14-07) March 18, 2014

Date

UP-LIGHT 3 CAP "C" 1 3 CAP "A" *UP-LIGHTING TOWER, METAL CAP AND PLANTER **APPROVED**



3'-2" @ "5"

18'-0"


OVER THE COUNTER

DR05-139K


10/20/20

SANTAN VILLAGE

REVISED FEBRUARY 2014



STUCCO ON CMU PAINT TO MATCH ICI 634 "LA MESA"



CONCRETE CORNICE TO MATCH ICI 370 "WOODRUFF" PROFILE AT RIGHT -M20+23s 8-1/4x32x1-1/2



REVERSE PAN CHANNEL HALO ILLUMINATED LETTERS POWDER COAT ROHM and HAAS "WEATHERED BROWN"



METAL TOWER CAP - WITH UP-LIGHT BENEATH POWDER COAT ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "PRO-FIT ALPINE LEDGESTONE - AUTUMN" VENEER OVER CMU BASE



GROUND MOUNTED UP-LIGHT



FLOWER PLANTING

* Contact Ellermann Schick and Bruno Architects for contruction document.


APPROVED

Administrative Design Review DR19-131 (DR05-139 K)


Date

APPROVED

Minor Administrative Design Review Case # DR05-139E (PAL14-07) March 18, 2014 Date








1/4" = 1'-0"

*UP-LIGHTING TOWER, METAL TOWER CAP AND PLANTER **APPROVED**





DR05-139K



SANTAN VILLAGE

REVISED FEBRUARY 2014





S-6 Multi-Family **Entry Monument**

DETAILS

PRECAST CONCRETE CAP NATURAL GREY

ALUMINUM SIGN CABINET FINISHED POWDER COATED TO MATCH DEC756 WEATHERED BROWN


INTERNAL WHITE LED ILLUMINATED CHANNEL LETTERS WITH THE **ELEVATION BRAND**

CMU COLUMN WITH STONE VENEER DRY STACK - PRO-FIT® LEDGESTONE AUTUMN

4" H x 8" L, 4" H x 12" L, and 4" H x 20" L

48" PHOENIX PRECAST POT FINISHED TO MATCH OBLIQUE SERIES PEDESTALS -OSP48 - BROWN - SMOOTH

48" STEEL AGAVE W/OUT BLOOM



APPROVED

Administrative Design Review Case # DR19-131 (DR05-139 K)

2/4/20 Date

APPROVED OVER THE COUNTER

Case #

DR05-139K

Date

10/20/20

S-7 Freestanding Directory







Photo Mock Up (B) NOT TO SCALE





Project Detail

SCALE 1/2" = 1'0"

Qty: 1 /

Install 30.00 🗖

C Illumination Rendering - Night VER THE COUNTER

Case #

DR05-139K

UL LABEL PLACEMENT

MONUMENTS & BLADE SIGNS

PLACE LABEL TOWARDS THE BOTTOM OF GROUND SIGN ON BUILDING SIDE. ALL LABELS TO BE CENTERED AND STRAIGHT.

Date

10/20/20

TRADEMARK

(H)

ALL ELECTRICAL COMPONENTS TO BE U.L. LISTED, APPROVED AND MARKED PER N.E.C. 600-4. Inspected and labeled in accordance with UL Standards using UL listed parts and methods of installation in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign. The location of the disconnect switch after installation shall comply with Article 600.6(a)(1) of the National Electrical Code. Volts Req'd: 120V Total Amps: 20.0 Circuits Req'd: 1 Cilent to provide primary electric feed to within 6 feet of sign location.

APPROVED CLIENT SIGNATURE LANDLORD SIGNATURE

Vedura Residential SUB LOCAL Elevation San Tan 2045 E. Boston St. CITY STATE Gilbert, AZ 85295

SR JOB 104997 BF DRAWING 0103bm/fg DATE 10/12/20 PM JP SHEET 1.10



NOTICE OF DECISION

February 4, 2020

RE: DR05-139 K (DR19-131): SanTan Village Phase V MSP Amendment

Dear Applicant:

Staff has reviewed the revised drawings received for Administrative Design Review regarding SanTan Village Phase V MSP. Staff has made the following findings:

- The project is consistent with the LDC and applicable design guidelines;
- The project is compatible with adjacent and nearby development; and
- The project design provides for safe and efficient provision of public services.

Based on the above, staff has <u>approved this Administrative Design Review</u> with the following attached information and conditions:

- 1. All previous conditions remain in effect except as amended.
- 2. Any sign regulations not represented in the MSP will default to the current Land Development Code.
- 3. All previous approvals where consolidated into a Single MSP booklet.
- 4. The detailed sign table from the original was update to include changes revisions to Phase V
- 5. A new monument sign type, S-6, was added.

If you have any questions regarding the above, please contact me at (480) 503-6729 or amy.temes@gilbertaz.gov.

Sincerely,

Amy Temes Senior Planner

Attachments: stamped approved MSP dated 2/4/20



Developed by:

SanTan Development Group 3850 E. Baseline Road

Suite 114

Mesa, Arizona 85206

Phone: 480.424.3400

Fax: 480.424.3432

AMENDMENT TO

MASTER SIGN PACKAGE

PHASES 3,4,5,G1 and G2

AUGUST 2013
REVISED FEBRUARY 28, 2014
REVISED MARCH 13, 2014
REVISED JANUARY 31, 2020




APPROVED

Administrative Design Review Case # DR19-131 (DR05-139 K)

te <u>2/4/20</u>





SIGN	SIGN TYPE	FUNCTION	LOCATION	QUANTITY	HEIGHT	SIZE	ILLUMINATION	MATERIALS
SIGN TYPE S-1 Freeway Sign	Freeway	Center ID with tenant identification	Placed along Santan Freeway (Loop 202) on Parcel E	1	Sixty (60') Feet to top of Pylon	500 SF Maximum Exclusive of Center Indentification and Architectural Embellishments	Interior Illumination	Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-2 Multi-Tenant Tower Monument Sign	Tower	Center ID with tenant identification	Placed along Santan Village Parkway, Ray Road, Coronado Road, and Williams Field Road	14	Fifteen (15') feet to top of sign panel exclusive of architectural embellishments	100 SF Maximum Exclusive of Architectural Embellishments	Combination of Interior and Exterior Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-2.1 Monument Sign	Monument	Multi-tenant identification	Placed along Coronado Road and along Interior and Private Roadways	2	Seven (7') feet to top of sign panel exclusive of architectural embellishment	24 SF Maximum Exclusive of Architectural Embellishments	Combination of Interior and Exterior Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE S-3 Monument Sign	Monument	Single tenant identification	Santan Village Parkway and Market Street	2	Eight (8'-4") feet to top of sign panel exclusive of architectural embellishment	35 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-4A Primary Gateway Sign	Monument	Center ID at Gateways	Along Santan Village Parkway at Street Intersections and Major Entrances to Parcels	2	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-4B Secondary Gateway Sign	Monument	Center ID at Gateways	Along Santan Village Parkway at Street Intersections and Major Entrances to Parcels	7	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-5 Main Entry Wall Sign	Monument	Entry wall/business ID at Corners (See General Notes 4 below)	Along Santan Village Parkway and at Interior and Private Roadways	11	Eight (8') feet to top of Monument	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
SIGN TYPE S-6 Multi-Family Entry Monument	Monument	Main ID	Boston Street at Multi-family entrance	1	Six (6') feet to top of sign panel exclusive of architectural embellishment	80 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminium, Powder Coat
Directional Sign	Monument	Vehicular and pedestrian directional information	At Driveways and Landscape Islands Internal to the Site	TBD	Four (4') feet to top of Monument	12 SF Maximum Sign Copy Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat
Directory / Pedestrian Advertising Sign	Kiosk	Site Directory with optional advertising company	Interior site locations in Landscape Islands or Pedestrian areas	TBD	Six (6') feet to top of sign panel exclusive of architectural embellishment	24 SF Maximum Sign Copy per Sign Face Exclusive of Architectural Embellishments	Internal Illumination and/or Ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat


GENERAL NOTES:


- 1) Tenant Monument Signs, Directional Signs, and Directory / Pedestrian Advertising signs may be placed in any location subject to first receiving the approval of the Master Developer and the Town of Gilbert. All such signs should be architecturally consistent with the design themes set forth in this Master Sign Program.
- 2)Any freestanding sign type not specifically designated herein shall not be allowed unless this Master Sign Plan is amended, whether administratively or otherwise, and written approval is obtained from the Master Developer.
- 3) Freestanding sign quantities and locations are approximated. Final site plan design will dictate the quantity and location of each sign type.
- 3) Freestanding sign quantities and locations are approximated. Final site plan design will dictate the quantity and location of each sign type.
 4) Signage on Main Entry wall signs shall be limited to project or plat identification and shall not include national corporate or trademark logos, or shall be otherwise as rative per by the Master.

APPROVED

Administrative Design Review DR19-131 (DR05-139 K) Case # _DR19-131

2/4/20 2/4/20 Date





D/F INTERNALLY ILLUMINATED SIGN CABINET WITH ROUTED
ALUMINUM TENANT PANELS BACKED-UP WITH COLORED ACRYLIC
TO ULTILLIZE TENANTS CORPORATE COLORS/LOGOS/TYPEFACES
LANDLORD APPROVAL REQUIRED

PAINT TO MATCH ICI 634 "LA MESA" DRYVIT® SANDPEBBLE FINE™ TEXTURE



ALUMINUM POLE COVER
PAINT TO MATCH ICI 527 "CAMEL TAN"
DRYVIT® SANDPEBBLE FINE™ TEXTURE




EPS FOAM CORNICE

PAINT TO MATCH ICI 370 "WOODRUFF"

DRYVIT® SANDPEBBLE FINE™ TEXTURE

PROFILE AT RIGHT →





CENTER ID CABINET / ALUMINUM POLE COVER POWDER COAT ROHM and HAAS "WEATHERED BROWN"




INTERNALLY ILLUMINATED FACE-LIT CHANNEL LETTERS/LOGO WHITE ACRYLIC FACES 5" RETURNS PAINTED WHITE

APPROVED

Administrative Design Review
Case # DR19-131 (DR05-139 K)
Date 2/4/20

APPROVED

Minor Administrative Design Review
Case # DR05-139E (PAL14-07)
Date March 18, 2014





D/F INTERNALLY ILLUMINATED SIGN CABINET

TENANT PANELS WITH ROUTED COPY
TENANT COPY WILL BE 3/8" CLEAR ACRYLIC PUSH-THRU
WITH FIRST SURFACE APPLIED VINYL PER TENANTS
CORPORATE COLORS/LOGOS/TYPEFACES.


LANDLORD APPROVAL REQUIRED.

PAINT TO MATCH ICI 634 "LA MESA"

DRYVIT® SANDPEBBLE FINE™ TEXTURE



CONCRETE DESIGNS INC.
PRECAST CONCRETE CORNICE M51
PAINT TO MATCH ICI 370 "WOODRUFF"
PROFILE AT RIGHT —>





CENTER ID CABINET / ALUMINUM ACCENT POWDER COATED ROHM and HAAS "WEATHERED BROWN"

INTERNALLY ILLUMINATED ROUTED CENTER ID/LOGO
PUSH-THRU LETTERS/LOGO WITH ALUMINUM LETTER FACES
POWDER COATED WHITE




CULTURED STONE "CHARDONNAY EUROPEAN CASTLE STONE" VENEER OVER CMU BASE

APPROVED


Administrative Design Review
Case # DR19-131 (DR05-139 K)
Date 2/4/20


APPROVED

Minor Administrative Design Review
Case #_DR05-139E (PAL14-07)
Date March 18, 2014



NOTE: TENANT PANELS MAY BE GROUPED TO CREATE A SINGLE OR TWO PANEL ALTERNATIVE.






D/F INTERNALLY ILLUMINATED SIGN CABINET

TENANT PANELS WITH ROUTED COPY
TENANT COPY WILL BE 3/8" CLEAR ACRYLIC PUSH-THRU
WITH FIRST SURFACE APPLIED VINYL PER TENANTS
CORPORATE COLORS/LOGOS/TYPEFACES.

LANDLORD APPROVAL REQUIRED.

PAINT TO MATCH ICI 634 "LA MESA" DRYVIT® SANDPEBBLE FINE™ TEXTURE



CONCRETE DESIGNS INC.


PRECAST CONCRETE CORNICE M40-6

PAINT TO MATCH ICI 634 "LA MESA"

PROFILE AT RIGHT —>




CONCRETE CORNICE PROFILE M 40-6



POWDER COATED ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "PRO-FIT ALPINE LEDGESTONE - AUTUMN" VENEER OVER CMU BASE



APPROVED

Administrative Design Review Case # DR19-131 (DR05-139 K)

PAINT TO MATCH ICI 370 "WOODRUFF" 2/4/20

APPROVED


Minor Administrative Design Review Case #_DR05-139E (PAL14-07)

te March 18, 2014

TO STREET 2'-6"-8'-6" 10'-0" 5'-4" **TENANT** 4'-8" SINGLE TENANT MONUMENT SIGN SCALE: 1/4" = 1'-0"

COLOR SPECIFICATIONS:

- 1 POWDER COAT "WEATHERED BROWN"
- 2 ICI 634 "LA MESA"



- (3) TENANT PANEL SPECIFICATIONS
 - Tenant Copy will be 3/8" push-thru clear acrylic with first surface applied vinyl.
 - Tenant sign to be a pushed thru embossed face w/second surface decoration
 - Tenant price change sign is to be a formed face w/zip track to accommodate (3) three products. All face decoration to be second surface. Color "Dark Grey".

CONCEPTUAL



PARCEL G-1


APPROVED

Minor Administrative Design Review
Case # DR05-139E (PAL14-07)
Date March 18, 2014

REVISED MARCH 2014



ICI 634 "LA MESA"






POWDER COAT
"WEATHERED BROWN"



CULTURED STONE
"CHARDONNAY EUROPEAN
CASTLE STONE"






STUCCO ON CMU PAINT TO MATCH ICI 527 "CAMEL TAN"



SMOOTH EFIS WITH REVEALS
PAINT TO MATCH ICI 527 "CAMEL TAN"



CONCRETE CORNICE TO MATCH ICI 370 "WOODRUFF"





REVERSE PAN CHANNEL HALO ILLUMINATED LETTERS POWDER COAT ROHM and HAAS "WEATHERED BROWN"



METAL TOWER CAP - WITH UP-LIGHT BENEATH POWDER COAT ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "CHARDONNAY
EUROPEAN CASTLE STONE"
VENEER OVER CMU BASE
RO-FIT ALPINE LEDGESTONE - AUTUMN"



GROUND MOUNTED UP-LIGHT



FLOWER PLANTING

* Contact Ellermann Schick and Bruno Architects for contruction document.

APPROVED

Administrative Design Review Case # DR19-131 (DR05-139 K)


Date <u>2/4/20</u>

APPROVED

Minor Administrative Design Review
Case # DR05-139E (PAL14-07)
Date March 18, 2014







STUCCO ON CMU PAINT TO MATCH ICI 634 "LA MESA"



CONCRETE CORNICE TO MATCH ICI 370 "WOODRUFF" PROFILE AT RIGHT -



REVERSE PAN CHANNEL HALO ILLUMINATED LETTERS POWDER COAT ROHM and HAAS "WEATHERED BROWN"

M20+23s 8-1/4x32x1-1/2



METAL TOWER CAP - WITH UP-LIGHT BENEATH POWDER COAT ROHM and HAAS "WEATHERED BROWN"



CULTURED STONE "PRO-FIT ALPINE LEDGESTONE - AUTUMN" VENEER OVER CMU BASE



GROUND MOUNTED UP-LIGHT



FLOWER PLANTING

* Contact Ellermann Schick and Bruno Architects for contruction document.


APPROVED

Administrative Design Review Case # __DR19-131 (DR05-139 K)

2/4/20 Date

APPROVED

Minor Administrative Design Review Case # DR05-139E (PAL14-07) March 18, 2014 Date








*UP-LIGHTING TOWER, METAL TOWER CAP AND PLANTER



REVISED FEBRUARY 2014



1'-6"
1'-6"
1'-6"
1'-6"
1'-6"
1'-6"
1'-6"
1'-6"

12'-0"

3'-3"

S-6 Multi-Family Entry Monument

4'-0"

DETAILS

PRECAST CONCRETE CAP NATURAL GREY

ALUMINUM SIGN CABINET FINISHED POWDER COATED TO MATCH DEC756 WEATHERED BROWN


INTERNAL WHITE LED ILLUMINATED CHANNEL LETTERS WITH THE ELEVATION BRAND

CMU COLUMN WITH STONE VENEER DRY STACK - PRO-FIT® LEDGESTONE AUTUMN

4" H $\,\times\,$ 8" L, 4" H $\,\times\,$ 12" L, and 4" H $\,\times\,$ 20" L

48" PHOENIX PRECAST POT FINISHED TO MATCH OBLIQUE SERIES PEDESTALS -OSP48 - BROWN - SMOOTH

48" STEEL AGAVE W/OUT BLOOM



APPROVED

Administrative Design Review Case # DR19-131 (DR05-139 K)

Date

2/4/20