

**NPCCP WATER CONSERVATION FORM  
For New Single-Family Residential Developments**



In Accordance with the Town of Gilbert Municipal Code Ch. 66, Article VIII

Project Name: \_\_\_\_\_

---

**PART A: LANDSCAPE PLANS**

1. The total residential development measures \_\_\_\_\_ sq ft.

2. The total landscapable area measures \_\_\_\_\_ sq ft.

a. Converted to acres, this equals: \_\_\_\_\_ acres.

3. Total Active Recreational Areas (ARA) measures \_\_\_\_\_ sq ft.

Active Recreational Areas (ARA) is defined as any turfed area which measures 10,000 sq ft and is at least 100 ft long and 100 ft wide. ARAs must be identified on the landscape plans.

4. The total landscapable area excluding ARA measures (#2 - #3) \_\_\_\_\_ sq ft.

5. Total water intensive landscape area excluding ARA measures \_\_\_\_\_ sq ft.

Water intensive landscape is defined as any plans not on the most recent ADWR Low-Water-Use Plant list, including turf and the total surface area of all bodies of water on the landscaped area, not including bodies of water primarily used for swimming purposes.

6. The water intensive landscape, including ARA, equals (#3 + #5): \_\_\_\_\_ sq ft.

a. Converted to acres, this equals: \_\_\_\_\_ acres.

**PART B: WATER SOURCE**

1. List the proposed water source for landscape watering (potable, reclaimed, SRP, RWCD, Spectrum ID): \_\_\_\_\_

2. Does the acre total in Part A #6(a) greater than or equal to 5 acres?

If yes, the development MUST use reclaimed water. Select YES for #3.

Yes  No

3. Is this development using reclaimed water?

NO - This development **WILL NOT** be using reclaimed water.

YES - This development **WILL** be using reclaimed water

**IMPORTANT:** If checked YES, a Reclaimed Water Use Agreement must be signed and on file prior to final Design Review approval. Contact [Jeremiah.churchill@gilbertaz.gov](mailto:Jeremiah.churchill@gilbertaz.gov) to get started.

4. Is Part A #6(a) greater than or equal to 10 acres?

NO - This development is **NOT** classified as a Turf Facility under ADWR guidelines.

YES - This development is classified as a Turf Facility under ADWR guidelines.

**IMPORTANT:** If the calculation in Part A #5 is 10 acres or more, the development is classified as a turf facility under ADWR guidelines and must comply with the Turf Facility Program.

### **PART C: LANDSCAPE COMPLIANCE**

If using potable water, the total water intensive landscaped area excluding ARA, is limited to no more than 10% of the total landscapeable area excluding ARA.

1. 10% of the total landscapeable area excluding ARA (Part A, #4 \* 0.10) is equal to:

\_\_\_\_\_ sq ft.

If using reclaimed water, the development can increase the percentage of water intensive landscape to 30%. Please calculate #2 if using reclaimed water.

2. 30% of the total landscapeable area excluding ARA (Part A, #4 \* 0.30) is equal to:

\_\_\_\_\_ sq ft.

All developments - total water intensive landscape area excluding ARA (Part A, #5) must not exceed the above calculated limit.

3. Is the development in compliance with the prescribed limit?

Yes     No

All developments - initial boxes to indicate requirements have been met in plans.

1.  Only plants from the ADWR low water use plant list may be planted in the remaining landscapeable area.

2.  Turf is prohibited in all rights-of-way whether or not reclaimed water is used to irrigate such turf.
3.  Covenants, Conditions and Restrictions must not require the use of water-intensive landscaping or prohibit low water use landscaping.

**Part D – Water Features**

1. Does this facility have a water feature:  Yes  No

Water features include pools, ponds, fountains, streams, waterfalls, swimming pools, artificial lakes, and other artificial water structures.

If YES:

2. List all water feature(s) types: \_\_\_\_\_.
3. List height of all water features: \_\_\_\_\_.

**Part E: Irrigation Requirements**

Initial boxes to indicate requirements have been met in plans.

1.  All irrigation systems must be efficient irrigation systems
2.  All irrigation systems must be operated by an EPA Watersense, or equivalent program, labeled weather-based smart irrigation controller.
3. List proposed irrigation controller: \_\_\_\_\_.

-----

Responsible Party Signature Date

Responsible Party Email: \_\_\_\_\_

Contact Phone Number: \_\_\_\_\_

For questions, contact:  
 Jeremiah Churchill, Water Resources & Conservation Coordinator  
[Jeremiah.churchill@gilbertaz.gov](mailto:Jeremiah.churchill@gilbertaz.gov) or 602.856.6930