



Water Quality Report

2023

What is a water quality report?

Gilbert is excited to present the 2023 annual drinking water quality report. This report is designed to provide details about where your water comes from, what it contains, and how it compares to the standards set by the Environmental Protection Agency's (EPA) under the Safe Drinking Water Act (SDWA). This report is a snapshot of your water quality in Gilbert in 2023, and discloses information on any contaminants detected in your water. This report is also an opportunity to tell the story of Gilbert water's activities, programs and process improvements. We are excited to share this information with you.

Este informe contiene información muy importante sobre el agua usted bebe.
Tradúscalo ó hable con alguien que lo entienda bien.

Water Quality Division | 480-503-6400 | WaterQuality@Gilbertaz.gov



Where does my water come from?

Gilbert's water comes from a combination of several surface water and groundwater sources. Surface water is supplied to Gilbert's two water treatment plants by an extensive canal network from the Salt River Project (SRP) and the Central Arizona Project (CAP). SRP manages a series of dams and reservoirs along the Salt River and Verde River watersheds, storing water for times of low rainfall and drought. Water collected in these reservoirs is released into SRP canals. CAP operates and maintains a 336 mile long canal system which carries Colorado River water from Lake Havasu, through Phoenix, to south of Tucson.

North Water Treatment Plant

Called the North Water Treatment Plant (NWTP) due to its location in northern Gilbert, this plant is situated on the eastern canal and receives water from SRP. The SRP canal delivers a mixture of water from the Salt River, the Verde River and groundwater wells to the plant where it is then treated using conventional treatment methods of coagulation, flocculation, sedimentation, and filtration with ozonation and chlorine disinfection. The NWTP can produce as much as **45 million gallons of water per day (MGD)** and has a **16 million gallon (MG) reservoir** for onsite water storage.

Santan Vista Water Treatment Plant

Called Santan Vista because of the stunning view of the San Tan Mountains from the control room, this plant receives water from the Central Arizona Project (CAP) canal system, which diverts water from the Colorado River watershed. From the CAP canal turnout, water is brought to the plant through **14 miles** of 48" diameter ductile iron pipeline. This plant was built and operates in partnership with the City of Chandler which uses 24 MGD of Santan Vista's 48 MGD production capacity. The Santan Vista water treatment plant operates using ballasted flocculation and filtration with ozone and on-site generation of sodium hypochlorite for disinfection.

Groundwater

Groundwater is used in Gilbert to supplement the surface water supplies to meet water demand during times of high water use and during canal and water treatment plant scheduled maintenance. Groundwater is pumped from any number of the **20 wells** located throughout Gilbert where it can be put directly into the distribution system or can be used to fill a water storage reservoir. At some well sites, ion exchange or adsorptive media are used to reduce the concentration of inorganic contaminants native to the groundwater to below EPA maximum contaminant levels (MCLs) prior to delivery.

Water Treatment

How we make clean water



Source water

Delivered through SRP and CAP canals to one of Gilbert's two surface water treatment plants.



Coagulation and Flocculation

Water treatment chemicals are added to encourage suspended material in the water to sink and be removed in settling basins.



Ozone

Ozone gas is added to remove organic material and eliminate compounds in the water that cause undesirable taste or odors.



Filtration

Water passes through a filter to remove any remaining solids and impurities.



Chlorination

Chlorine is added to the water as a disinfectant to kill any remaining microorganisms and pathogens.



Fluoridation

Fluoride is added to a level of 0.7 parts per million. For more information on fluoride see page 8 of this report.



pH adjustment

The pH of your water is adjusted to balance the level of scale formation with corrosion protection in the distribution system and in your home.



Storage Reservoirs

Water is stored in reservoirs around Gilbert to ensure sufficient supply for fire flows and to meet peak daytime demands.

Water Distribution



14,565 Fire Hydrants

- Inspected annually to make sure they're always in working order.
- Fully serviced every 4 years to protect the lifespan of our critical infrastructure

1,480 Miles of Pipe

- Gilbert experiences **0.81 main breaks per 100 miles** of distribution system pipe, well below the national average of 25 breaks per 100 miles.
- Water main breaks can be caused by construction activities, or by natural environmental changes including extreme temperature fluctuations as well as the age and condition of the pipe.

91,976 Water Meters

Gilbert's water meter department reads all meters monthly, and replaces over **2,600 meters every year**.

Gilbert's water meter testing program ensures that water meters accurately record consumption. Each water meter must be accurate within +/- 1.50% to pass.

42,176 System Valves

Gilbert's water department maintains valves by exercising them on a regular basis. This year, over **7,101 valves** were exercised by opening and closing them with a valve key.

Valves range in size from 4 to 48 inches in diameter. A 48 inch valve takes a full **450 revolutions** of a valve key in order to open or close the valve.

How Does Gilbert Deliver 1,480 miles of Water?

Gilbert's water distribution system is comprised of over 1,500 miles of underground piping ranging in size from 4-inches in diameter to 48-inches in diameter. Gilbert's underground piping network is essential to ensure the safe delivery of water to all water customers. Gilbert serves various types of customers including; private homes, industrial facilities, commercial properties and institutional establishments. Gilbert's water distribution piping network is designed to maintain a positive pressure and typically operates between 50 and 80 psi (pounds per square inch). Positive pressure is needed to ensure treated drinking water reaches all parts of Gilbert's underground piping network. Gilbert's water distribution division works hard to ensure that every Gilbert customer and resident has access to this water, and to do so they operate, inspect, repair and replace these critical components of our drinking water infrastructure.



The SWA is available to the public by request from the Clerk's Office, or visit the ADEQ's SWA Unit website: azdeq.gov/safe-drinking-water



Source water assessment and its availability

In 2004, the Arizona Department of Environmental Quality (ADEQ) completed a Source Water Assessment (SWA) for the 12 groundwater wells (at the time of the assessment) and one water treatment plant used by Gilbert. The assessment reviewed and evaluated adjacent land uses to the aforementioned locations that may pose a potential risk to water, and the quality thereof, served to the community from those sources. These risks may include, but are not limited to, gas stations, landfills, dry cleaners, and agricultural fields. The result of the SWA led to the identification of 10 sources with low risk susceptibility and three sources identified as high risk. Those sites receiving a high risk designation are located in proximity to a gas station, agriculture field, and an industrial park. None of the locations, including those with a low risk assessment, have detected contamination; however, Gilbert remains vigilant in their monitoring to ensure the best water quality is served to our community. Residents can help protect source water by taking hazardous household chemicals to hazardous material collection sites and by limiting the amount of pesticide and fertilizer use in the home.

How can you be water wise?

Save Water, Time and Money

Check out Gilbert's NEW Rebate Programs



glbrt.is/waterrebates

Smart Irrigation Controller Rebate:

Gilbert is offering \$250 for residential customers and \$400 for Non-residential customers.

Non-Residential Turf Removal Rebate program:

This new program will begin Spring of 2023.
Learn more: glbrt.is/waterrebates

Does your water use add up?

Are you worried you might be using too much water? See how much water your household needs and compare the results with your actual water use to see if you have room for savings.
gilbertaz.gov/watercalculator

Find & Fix Leaks

Think you might have a leak? We can help. Learn how to conduct your own Water Efficiency Checkup in your home:
gilbertaz.gov/waterwise-howto

Water your landscape efficiently

Up to 70% of water use is outdoors. Find out how much water your plants need at gilbertaz.gov/wisewatering



Businesses, Schools, Churches and HOAs

Join our Landscape Water Budget Program

Reduce excess irrigation and maintain a healthy, attractive landscape with a custom landscape watering budget.
Learn more: gilbertaz.gov/waterwise

Get a free Water Efficiency Checkup

We help all customers conserve water by finding customized, practical solutions. Learn more: glbrt.is/watercheckup

Take a FREE Landscaping Class

Learn how to optimize your irrigation system and sign up for a class: gilbertaz.gov/waterworkshops



For more water conservation resources including ways to save visit gilbertaz.gov/watershortage

Contaminants

Are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Additional information on Contaminants

Nitrate

Nitrate in drinking water at levels above 10ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for a short period of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems

Fluoride

In Gilbert, voters have mandated that fluoride be added to the water supply at our two water treatment plants. These water treatment plants have maintained a target level of 0.7ppm which is consistent with the United States Department of Health and Human Services most recent recommendations.

Lead

Lead, in drinking water, is primarily from materials and components associated with service lines and home plumbing. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Gilbert is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.



If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: epa.gov/safewater/lead

Water Quality

How We Test Your Water

In order to ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The following tables list all of the drinking water contaminants that were detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels.

Unless otherwise noted, the data presented in these tables are from testing done in 2023. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In these tables you will find terms and abbreviations that might not be familiar to you.

Legend



Erosion of natural deposits



Naturally present in the environment



Byproduct or discharge from metal processing facilities



Byproduct from drinking water disinfection



Drinking water additive



Runoff from fertilizers



Corrosion of house-hold plumbing systems



Runoff from herbicide



Discharge from dry cleaners



Byproduct of petroleum and coal tar from combustion sources



Discharge from chemical factories



Discharge from mining activity

To help you better understand these terms, we have provided the definitions:

Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements

Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water

Maximum Contaminant Level Goal (MCLG)

The level of a contaminant in drinking water below which there is no known or expected risk to health

Maximum Residual Disinfectant Level (MRDL)

The level of disinfectant added for water treatment that may not be exceeded at the customer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG)

The level of disinfectant added for water treatment at which no known or anticipated adverse effect on health of persons would occur.

Not Detected (ND)

Concentration too low to be detected

Nephelometric Turbidity Units (NTU)

a measure of the clarity of water

Picocuries per liter (pCi/L)

a measure of the radioactivity in water

Parts Per Million (ppm)

milligrams per liter drinking water. (mg/L)

Parts Per Billion (ppb)

micrograms per liter (ug/L), 1000 ppb = 1 ppm

Running Annual Average (RAA)






















Average value of a contaminant at a location in a year

Total Dissolved Solids (TDS)

A measure of the dissolved combined content of all inorganic and organic substances present

Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in your water

Contaminant	Units	Violation	Range	Average	MCL	MCLG	Likely Source
Alpha emitters	pCi/L	No	ND-6.1	2.9	15	0	
Arsenic	ppb	No	1.7-8.8	5.8	10	0	
Barium	ppm	No	ND-0.12	0.050	2	2	
Bromate	ppb	No	ND-7	2.5	10	0	
Chlorine	ppm	No	0.20-2.24	0.91	4	4	
Chromium (total)	ppb	No	ND-18	9.1	100	100	
Dichloromethane	ppm	No	ND-0.0006	0.0002	0.005	0	
Fluoride	ppm	No	ND-1.01	0.56	4	4	
Gross Alpha	pCi/L	No	ND-3.7	2.3	15	0	
Haloacetic Acids (HAA5)	ppb	No	ND-43	15.49	60	NA	
Nitrate	ppm	No	0.299-7.41	4.27	10	10	
Radium (combined 226/228)	pCi/L	No	ND	ND	5	0	
Selenium	ppm	No	ND-0.0029	0.0009	0.05	0.05	
Tetrachloroethylene (PCE)	ppm	No	ND-0.0005	0.0001	0.005	0	
Total Coliform	%+	No	0-0.59	0.083	5	0	
Total Trihalomethanes	ppb	No	0.6-78	43.05	80	NA	
Total Organic Carbon	% removal	No	11.5-33.8	21.92	15-25% (TT)	NA	
Uranium	ppb	No	2.8-4.7	2.4	30	0	
*Compliance is based on a local running average, not the highest individual result.							
Contaminant	Units	Violation	% < 0.3 NTU	Requirement	Maximum	MCL	Likely Source
Turbidity	NTU	No	100	> 95%	0.371	0.3	
Contaminant	Units	Violation	90th percentile	Number over AL	AL	AL Goal	Likely Source
Copper	ppm	No	0.086	0	1.3	NA	
Lead	ppb	No	0.281	0	15	0	

Unregulated Contaminant Monitoring 5 (UCMR5) PFAS & Lithium							
Contaminants	MCL	Water Avg	Range		Sample		Typical Source
			Low	High	Date	Violation	
Lithium ppb	NA	173	73.5	258	2023	No	Naturally occurring from weathering lithium containing minerals in bedrock, lithium mining, manufacturing and recycling of batteries and products using lithium.
PFBS	NA	0.0009	ND	0.01	2023	No	Fire training/fire response sites, industrial/manufacturing sites, military bases, farmlands, landfills, and wastewater treatment plants/biosolids
PFOA	NA	0.0002	ND	0.0039	2023	No	
PFOS	NA	0.0003	ND	0.0056	2023	No	
PFPeA	NA	0.0002	ND	0.0034	2023	No	

Water Quality

2023 Drinking Water Testing Results

Additional Monitoring

In addition to sampling and testing your water as required by state, county and federal regulations, Gilbert's water division performs additional monitoring daily to ensure that the water treatment plants are operating efficiently, and to ensure the highest level of quality for your water. The following table shows the results of some of this additional monitoring. The compounds listed in this table do not have maximum contaminant levels enforceable by the EPA, and are used to characterize the aesthetic quality of the water.



Information on Late Reporting Submission and Missed Monitoring

Violation Type	Explanation, Health Effects	Time Period	Corrective Action
Missed Monitoring - SOC	One sample was mishadled by contract laboratory. Not an emergency situation.	2021	Contract laboratory changed
Late Reporting - IOCCs	Sample results were submitted after the deadline	2023	New checklist created to keep track of samples
Late Reporting - VOCs	Sample results were submitted after the deadline	2024	New checklist created to keep track of samples
Late Reporting - SOCs	Sample results were submitted after the deadline	2021 & 2023	New checklist created to keep track of samples
Late Reporting - DBP2	An old version of the form was submitted	2023	Updated version of the correct form submitted



Water Quality

Commitment To Quality

Gilbert's Water Quality staff collects and analyzes the drinking water you receive at your home or business. These tests ensure that your water meets health and safety standards set by the state and federal government. Gilbert has a state certified laboratory which analyzes daily process, distribution and regulatory compliance samples. Each month, the Water Quality staff collects bacteriological samples from 150 designated water quality sampling stations across Gilbert to monitor the chlorine disinfectant level in the distribution system and to test for the presence of the microbial activity in the water. Our staff works diligently to ensure compliance with all drinking water regulations and to supply safe, high quality drinking water at a reasonable cost.

Here are some of the ways that Gilbert's Water Quality department ensures that your water meets the highest standards:



Continuous Monitoring

In addition to the instruments in our laboratories, Gilbert uses 95 online instruments to monitor water quality parameters every second to continuously analyze your water.

These online instruments are located at Gilbert's two surface water treatment plants, as well as across the 20 well sites and 19 water storage reservoirs in Gilbert.

Gilbert's two surface water treatment plants are staffed 24 hours a day, 365 days per year to ensure that your water is clean, safe and reliable.



Compliance Testing

Gilbert's Water Quality Department operates a state-certified compliance laboratory which is used to ensure your water meets rigorous state and federal water quality regulations.

Samples are collected from the water treatment plants, well sites and dedicated Water Quality sample stations across Gilbert and tested to ensure quality, safety and compliance.

For specialized testing, samples are also sent to a certified drinking water testing laboratory for in-depth analysis.



Process Control

In addition to all of the testing required by the state and federal government, your water undergoes rigorous additional monitoring to ensure the highest quality water.

This additional monitoring includes frequent testing for bacteriological contaminants, inorganic contaminants, trace metals and organic materials.

This testing is used to optimize surface water treatment plant operations to adjust to changes in incoming water quality and guarantee safe drinking water is produced.



Water Quality

Lead and Copper Rule Revisions (LCRR)

The United States Environmental Protection Agency (EPA) first issued the Lead and Copper Rule Revisions (LCRR) on December 15, 2021, with proposed Lead and Copper Rule Improvements (LCRI) announced on November 30, 2023. Both iterations of the rule require all Community Water Systems (CWS) and Non-Transient Non-Community Water Systems (NTNCWS) to develop an initial inventory of the lead service lines within their systems by October 16, 2024. The intent of this inventory is to identify a system's legacy lead materials, including galvanized requiring replacement (GRR), to facilitate 100% lead pipe replacement within ten years.

In addition to the initial lead service line inventory (LSLI), systems serving a population greater than 50,000 must create a publicly available version of their inventory online. If a system can confirm that their system is free of lead or GRR service lines, a written non-lead statement can be provided in lieu of the public online inventory. The LSLI must be continuously updated through routine system asset maintenance and service line repairs to field verify a material type, with all unknowns in the system identified by the applicable mandatory replacement deadline. Any updates to the LSLI will be submitted annually, as required by the proposed LCRI.

Arizona Department of Environmental Quality (ADEQ) is the primacy agency for enforcing the LCRR and LCRI requirements in Arizona. As such, all applicable Arizona systems are required to submit their LSLI to ADEQ by October 16, 2024. The LSLI is to include a unique location identifier for each service line, a material classification, and an approved verification method for the material classification. The Town of Gilbert has proactively begun to develop their LSLI in preparation of the October 16, 2024, submittal deadline.



How can I get involved?

The Gilbert Town Council consists of the mayor and six council members who serve four year terms. Unless otherwise noted, the council meets the first and third Tuesday at 6:30p.m. in the Municipal Center 1 Building, otherwise known as Town Hall, at 50 E Civic Center Drive. Council agendas are posted on this website at least 24 hours prior to meeting time at gilbertaz.gov/council

Per- and Polyfluoroalkyl Substances (PFAS) Testing

Per- and Polyfluoroalkyl Substances, also known as PFAS, are a widely used group of man-made chemicals that have been in production since the 1940s.

Gilbert has been actively engaged in planning for the upcoming regulations surrounding PFAS and is aware of the various treatment and remediation options for PFAS. As an example, Gilbert's North Water Treatment plant is currently under complete reconstruction which includes the addition of Granular Activated Carbon (GAC) contactors which are an effective method for removing PFAS in the water.

In November 2023, Gilbert began our Unregulated Contaminant Monitoring Rule (UCMR 5) testing, as required by the EPA. As a part of that testing, all of our water sources were tested for 25 different PFAS compounds. During testing, Gilbert detected PFOA, PFOS, PFPeA and PFBS at three separate locations. These locations were at two well sites and the North Water Treatment Plant. Further investigations are ongoing at all of these locations to try and determine the source of those detects.

The Town of Gilbert takes the matter of PFAS seriously. While there are currently no regulated amounts for PFAS as the regulations are still in the proposal phase, the Town has been and continues taking proactive measures to meet any future regulations. Currently, the PFAS detection is restricted to only a few sites and not found townwide. Of the affected sites, Well site 7 was immediately taken offline as a precautionary measure.

It is important to note that testing under the EPA's 5th Unregulated Contaminant Monitoring Rule (UCMR5) is in the first round of sampling, and additional sampling and testing are ongoing. As required under Arizona state law, the results will be published in the annual Consumer Confidence Report to be released before July 1, 2024 which can be found at gilbertaz.gov/water-quality-report and Gilbert will continue to provide updates from the most recent testing on this website.

Gilbert is fortunate to have a diversified water portfolio and can take affected well sites temporarily offline while still maintaining system demand. This built-in redundancy will allow the Town to fully investigate and implement the best solutions for treatment. The Town of Gilbert is committed to maintaining high water quality standards and producing safe clean drinking water, while also keeping the rate payers in mind.


A summary of the UCMR 5 testing to date is shown in the table below:

Location	Sample Date	Results (Ppt)	Compound Type	Proposed MCL (Ppt)
North Water Treatment Plant	11/8/2023	10.0	PFBS	2000
Well 7	11/14/2023	3.9	PFOA	4.0
Well 7	11/14/2023	5.6	PFOS	4.0
Well 7	11/14/2023	3.4	PFPeA	1.0 (unitless) Hazard Index
Well 25	11/7/2023	7.9	PFBS	2000

Necessary Upgrades and Expansion

North Water Treatment Plant Facility

The reconstruction of the North Water Treatment Plant (NWTP), CIP Project WA1589, is a multi-phase, multi-year project that includes the necessary upgrades and expansion to the town's aging water treatment facility to ensure a safe, sustainable, and resilient water supply for Gilbert's residential and commercial customers now and well into the future. The facility provides drinking water to most of Gilbert's residents and is also the primary water source for many of the town's commercial districts. It is expected to provide more than 70% of Gilbert's available water supply at build-out. Construction for this project (WA1589) is expected to take six years, taking place from March 2022 through December 2028. Funding will be provided through System Development fees and future Municipal Property Corporation (MPC) bonds.





Our Mission:

To reliably produce and deliver the highest quality drinking water while earning and maintaining the trust of the community both today and tomorrow.



View this Report online:

gilbertaz.gov/water-quality-report

Find Resources on Water, Quality, Conservation, Calculator, Rebates, 311 Service Requests and more: gilbertaz.gov/water

Water Quality Division

480-503-6400 | WaterQuality@Gilbertaz.gov